

G DATA

GEOMLIB (β)

**MARINE ENGINEERING GEOPHYSICAL
DATA PROCESSING TOOLBOX**

Ivan V. Dmitriev
03.08.2020

Contents

1	gData general description.....	3
2	gData functions	6
2.1	Save Data	6
2.2	Load Data	6
2.3	Traces (columns) filtering	6
2.4	Weighting a number of traces/pings (rows filtering)	7
2.5	2D filtering	7
2.6	Normalization.....	8
2.7	Gain.....	8
2.8	Shift to horizon.....	9
2.9	Fill between horizons	9
2.10	Calculate Attributes.....	10
2.11	Draw image with Data.....	10
2.12	Handle picking (create Horizon)	11
2.13	Auto picking (create Horizon).....	12

Figures list

Figure 1	Measurements' data content types	4
Figure 2	File, created by gDataSave	6
Figure 3	gDataPLPickHandle picking process.....	11
Figure 4	gDataPLPickAuto example.....	12

Tables list

Table 1	gData functions	3
Table 2	Horizon structure fields' names	5

1 gData general description

MatLab functions set for manipulations with Matrix-content (*Figure 1*; see Contents description in <https://ge0mlib.com/g/gGe0MLib.pdf>). The initially functions set was created for SBP section data processing: each matrix's column was considered as a seismic trace (below we will name "columns" as a "trace"). The functions were adapted to manipulations with Matrix-content data like to SBP-section, Side Scan Sonar waterfall and same.

The functions was created as universal function (not depend from structure's fields names) and any matrixes can used as input. The set's functions are shown in *Table 1*.

Table 1 gData functions

Function name	Function description
gDataSave	Save matrix to tmp-file
gDataLoad	Load matrix from tmp-file
gDataTraceFilt	Traces/columns filtration with slice-window
gDataTraceWeight	Weighting traces/columns group (rows filtering) with slice-window
gData2DFilt	Matrix filtration with 2D-slice-window
gDataNormPL	Normalize traces/columns between horizon1 and horizon2.
gDataGainPL	Traces/pings Gain.
gDataToPL	Shifted data-matrix (traces) from horizon1 to horizon2.
gDataFillPL	Fill data-matrix (traces) from horizon1 to horizon2 using number FillNum.
gDataCalcAttrib	Calculate "attributes" for data-matrix (along traces/columns).
gDataDrawSection	Draw image using Data matrix.
gDataPLPickHandle	Image/Matrix horizon handle-picking.
gDataPLPickAuto	Image/Matrix horizon auto-picking.

The *Horizon is on-matrix (image) Poly-Line structure*, there are follow features:

- it can contain one point for one matrix column;
- it is uninterrupted in the matrix "segment";
- usually, it continuous from fist column to last column, but fist and last points can defined to any column numbers.

This structure can be created by manual picking (set nodes) or auto-picking; it is like on-section seismic horizon. The structure's field's names and descriptions are shown in *Table 2*. The Horizon structure used as input parameter for a number of functions.




Figure 1 Measurements' data content types

Table 2 Horizon structure fields' names

Field name	Field description
PLName	Horizon (polyline) name. String; Information-content.
Type	Horizon (polyline) type: 'Horizon' String; Information-content.
KeyLineDraw	String key for Horizon (polyline) drawing in MatLab's figure (for example: '-r','xb'). String; Information-content.
pX	Matrix's column number (polyline's X-axis coordinates) for each node was peak/set. Vector; Row-content.
pY	Matrix's row number (polyline's Y-axis coordinates) for each node was peak/set. Vector; Row-content.
PickL	[matrix's column number; matrix's row number] – it is contained interpolated coordinates for each trace (column). This field is interpolation result between handle picking nodes or auto-picking result between base nodes. Vector [xL(1...n); yL(1...n)]; RowM-content.

2 gData functions

2.1 Save Data

function gDataSave(fName,Data)

03/08/2020

Save matrix from file; file format: 1) text 'ge0mlib_Data'; 2) dimension numbers in uint64; 3) dimension values in uint64; 3) matrixes values in float64.

Parameters:

fName – name of file;

Data – saved matrix.

The function used for saving matrixes to tmp-file.

Function Example:

```
>> gDataSave('c:\temp\123.dat',Data);
```

2.2 Load Data

function Data=gDataLoad(fName)

03/08/2020

Load matrix from file; file format: 1) text 'ge0mlib_Data'; 2) size - two numbers in uint64; 3) matrixes values in float64.

Parameters:

fName – name of file;

Data – loaded matrix.

The function used for loading matrixes from tmp-file.

Function Example:

```
>> a=[1 2 3;4 5 6];
```

```
>> gDataSave('c:\temp\ggg.tmp',a); % Figure 2
```

```
>> d=gDataLoad('c:\temp\ggg.tmp')
```




Figure 2 File, created by gDataSave

2.3 Traces (columns) filtering

function Data1=gDataTraceFilt(Data,wk,normFl)

Traces/columns filtration with slice-window (includes filter's coefficients).

Parameters:

Data – input matrix with traces; Data (trace_length, trace_num);
wk – filter's coefficients;
normFl – normalization flag; if normFl~=0, than wk=wk./sum(wk);
Data1 – output matrix with traces.

Example:

```
>> wk1=gausswin(N,Alpha);wk2=chebwin(L,r);wk3=blackman(N,SF);wk4=blackmanharris(N,SF);  
>> wk1=gausswin(12,3);Data1=gDataTraceFilt(Data,wk1,normFl);
```

2.4 Weighting a number of traces/pings (rows filtering)

function Data1=gDataTraceWeight(Data,wk,normFl)

Weighting traces/columns group (rows filtering) with slice-window (includes filter's coefficients).

Parameters:

Data – input matrix with traces; Data(trace_length,trace_num);
wk – average filter coefficients;
normFl – normalization flag; if normFl~=0, than wk=wk./sum(wk);
Data1 – output matrix with traces.

Example:

```
>> wk1=gausswin(N,Alpha);wk2=chebwin(L,r);wk3=blackman(N,SF);wk4=blackmanharris(N,SF);  
>> wk1=gausswin(12,3);Data1=gDataTraceWeight(Data,wk1,normFl);
```

2.5 2D filtering

function Data=gData2DFilt(Data,wk,normFl)

Matrix filtration with 2D-slice-window (includes filter's coefficients).

Parameters:

Data – input matrix;
wk – 2D filter coefficients;
normFl – normalization flag; if normFl~=0, than wk=wk./sum(wk);
Data – output filtered matrix.

Example:

```
>> X=zeros(10);X(2,2)=1;h=zeros(7);h(4,4)=1;Data1=gData2DFilt(X,h,0);
```

2.6 Normalization

function Data=gDataNormPL(Data,frL,toL,param)

Normalize traces/columns between horizon1 and horizon2.

Parameters:

Data- input matrix with traces; Data(trace_length,trace_num);

frL- from polyline: 1)polyline struct; 2)two rows polyline [trace_number; current_trace's_point_number];

3)scalar; 4)if empty, than =1; 5)one rows polyline current_trace's_point_number for all traces;

toL- to polyline: 1)polyline struct; 2)two rows polyline [trace_number; current_trace's_point_number];

3)scalar; 4)if empty, than =1; 5)one rows polyline current_trace's_point_number for all traces;

param(1)- normalization type: 0)Data-mean(Data); 1)Data/mean(abs(Data)); 2)Data/std(Data);

param(2)- exception scalar (for example: Nan, 0, etc);

Data- output matrix with normalized traces;

Example:

```
>> Data=rand(9,5);
```

```
>> Data1=gDataNormPL(Data,[1 2 3 4 5; 4 7 1 2 2],[1 2 3 4 5; 7 7 7 8 8]);
```

```
>> Data1=gDataNormPL(Data,4,2,[0 nan]);
```

2.7 Gain

function [Data,tk]=gDataGainPL(Data,tp,k,frL)

Traces/pings Gain.

Parameters:

Data – input matrix with traces; Data(trace_length,trace_num);

tp – gain method ID: 'lg', 'exp', 'agc', 'pow';

k – gain method coefficients;

frL – gain from horizon: 1)polyline struct; 2)two rows polyline [trace_number;

current_trace's_point_number]; 3)scalar; 4)one rows polyline current_trace's_point_number for all

traces;

Data – output matrix with traces.

tk – gain coefficients.

Methods:

'nn' method: Data=Data*weight;weight=At+B; k=[A B].

'lg' method: Data=Data*weight;weight=At+20Blg(t)+C; k=[A B C dt].

'exp' method: Data=Data*weight;weight=At*exp(Bt)+C; k=[A B C dt]. If k(1)==0, than used

out=exp(Bt)+C.

'agc' method: Data=Data/weight;weight=sum(abs(k*win))/nwin. k=[k1...kn] weight coefficients. Cur not used.

'agc_pow' method: $Data = Data / weight$; $weight = \sqrt{\sum((k * win)^2)} / nwin$. $k = [k1 \dots kn]$ weight coefficients. Cur not used.

Example:

```
>> wk2=chebwin(L,r);wk3=blackman(N,SFLAG);wk4=blackmanharris(N,SFLAG);
>> wk1=gausswin(200,3); [Data1,~]=gDataGainPL(Data,'agc',wk1,[]);
>> [Data1,~]=gDataGainPL(Data,'exp',[0 0.001 0 1],30);
>> [Data1,tp]=gDataGainPL(Data,'lg',[0 0.2 10 1],30);
```

2.8 Shift to horizon

function varargout=gDataToPL(Data,frL,toL)

Shifted data-matrix (traces) from horizon1 to horizon2 (like to "rotation" in circle, where trace's start and end are connected).

Parameters:

Data – input matrix with traces; Data(trace_length,trace_num);

frL – from polyline: 1)polyline struct; 2)two rows polyline [trace_number;

current_trace's_point_number]; 3)scalar; 4)one rows polyline current_trace's_point_number for all traces;

toL – to polyline: 1)polyline struct; 2)two rows polyline [trace_number; current_trace's_point_number];

3)scalar; 4)one rows polyline current_trace's_point_number for all traces;

The traces will be shift from frL_current_trace's_point_number to toL_current_trace's_point_number; frL or toL can be scalar, with trace's_point_number for all traces.

varargout{1}=Data – output matrix with shifred (rotated) traces;

varargout{2}=dL – shift value fromLine-toLine.

Example:

```
>> Data=rand(9,5);
>> Data1=gDataToPline(Data,[1 2 3 4 5; 4 7 0 2 2],[1 2 3 4 5; 7 7 7 8 8]);
>> Data1=gDataToPline(Data,4,2);
```

2.9 Fill between horizons

function Data=gDataFillPL(Data,frL,toL,FillNum)

Fill data-matrix (traces) from horizon1 to horizon2 using number FillNum.

Parameters:

Data – input matrix with traces; Data(trace_length,trace_num);

frL – from horizon: 1)polyline struct; 2)two rows polyline [trace_number; current_trace's_point_number];

3)scalar; 4)if empty, than =1; 5)one rows polyline current_trace's_point_number for all traces;

toL – to horizon: 1)polyline struct; 2)two rows polyline [trace_number; current_trace's_point_number];
3)scalar; 4)if empty, than =1; 5)one rows polyline current_trace's_point_number for all traces;
FillNum – number for filling;
Data – output matrix.

Example:

```
>> Data=rand(9,5);Data1=gDataFillPL(Data,[1 2 3 4 5; 4 7 1 2 2],[1 2 3 4 5; 7 7 7 8 8],99);
```

2.10 Calculate Attributes

function Data=gDataCalcAttrib(Data,param)

Calculate "attributes" for data-matrix (along traces/columns).

Parameters:

Data – input matrix with traces; Data(trace_length,trace_num);

param – attributes parameters (the elements indexes are used as scale):

instantaneous amplitude- param{ 1 }=1; instantaneous phase- param{ 1 }=2;

instantaneous phase cosine- param{ 1 }=3; instantaneous frequency- param{ 1 }=1;

envelope- param{ 1 }=5, param{ 2..4 }- use "help envelope".

Data – output matrix with normalized traces;

Example:

```
>> Data1=gDataCalcAttrib(Data,{ 3});Data1=gDataAttrib(Data,{ 1});
```

2.11 Draw image with Data

function gDataDrawSection(fig_num,ax,ay,Data,icaxis,icolor)

Draw image using Data matrix.

Parameters:

fig_num – figure number;

ax,ay – multiple for horizontal and vertical scale;

Data – matrix for bitmap (image);

icaxis – min and max data for colormap (will find from Data, if isempty);

icolor – colormap.

Example:

```
>> gDataDrawSection(7,1,Head.dt(1)*1e-3,Data34,[-32767 32767],[]);
```

2.12 Handle picking (create Horizon)

function outCur=gDataPLPickHandle(inCur,PLName,KeyLineDraw,extrapCur)

Handle Image/Matrix sub-horizontal horizon picking.

Parameters:

inCur – PickHandleImg input structure;

PLName – horizon name;

KeyLineDraw – string key for line drawing: '-r','xb', etc;

extrapCur – extrapolation flag to curve borders (create two [pX;pY] points for pX=1 and pX=end);

outCur – PickHandleImg output structure:

P.PLName; P.Type; P.KeyLineDraw; P.pX; P.pY; P.PickL

outCur.PLName – polyline name;

outCur.Type='Horizon';

outCur.KeyLineDraw – string key for line drawing: '-r','xb', etc;

outCur.pX – polyline point's horizontal axis coordinates;

outCur.pY – polyline point's vertical axis coordinates;

outCur.PickL=[xL yL] – interpolated points picked coordinates for horizontal and vertical axis for each Image pixels.

Mouse&Keyboard:

LMK – set point;

RMK – delete point;

MMK – create and redraw "lines";

Space – pause mode;

q – picking end.

Example (*Figure 3*):

```
>> [SgyHead,Head,Data]=gSgyRead('c:\temp\2.sgy','',[]);imagesc(Data);
```

```
>> P=gDataPLPickHandle([], '123', 'r', 1); P1=gDataPLPickHandle(P, [], [], 1);
```




Figure 3 gDataPLPickHandle picking process

2.13 Auto picking (create Horizon)

function outCur=gDataPLPickAuto(Data,Pt,param,upBorder,dnBorder,PLName,KeyLineDraw)

Image/Matrix horizon auto-picking.

Parameters:

Data – 2D matrix with data for autopicking;

Pt – input polyline coordinates for autopicking: 1)polyline struct; 2) 2 rows [X;Y];

param – autopick parameters: 1)up border for "search window"; 2)down border for "search window";
3)autopick condition 1-max, 2-min, 3-bigger than A, 4-smaller than A; 4)A for 3-4 conditions;

upBorder – upper autopicking border polyline coordinates; there are: 1)polyline struct; 2)one number;
3)row Y; 4)if empty, than =1; 5)one rows polyline current_trace's_point_number for all traces;

dnBorder – down autopicking border polyline coordinates; there are: 1)polyline struct; 2)one number;
3)row Y; 4)if empty, than =1; 5)one rows polyline current_trace's_point_number for all traces;

PLName – horizon name;

KeyLineDraw – string key for line drawing: '-r','xb', etc;

outCur – PickAutoImg output structure: P.PLName; P.Type; P.KeyLineDraw; P.pX; P.pY; P.PickL

outCur.PLName – polyline name;

outCur.Type='Horizon';

outCur.KeyLineDraw – string key for line drawing: '-r','xb', etc;

outCur.pX – autopick input polyline horizontal axis coordinates;

outCur.pY – autopick input polyline vertical axis coordinates;

outCur.PickL=[xL yL] – autopick coordinates for horizontal and vertical axis for each Image pixels.

Example (bottom picking *Figure 4*):

```
>> [SgyHead,Head,Data]=gSgyRead('c:\temp\2.sgy','',[]);
```

```
>> imagesc(Data,[-1000 1000]);colormap('gray');outCur=gDataPLPickHandle([], '123', 'r', 0);
```

```
>> outCurA=gDataPLPickAuto(Data,outCur,[3 3 2],[[],[],[],[]]);hold on;plot(outCurA.PickL(2,:),'b');
```




Figure 4 gDataPLPickAuto example